




**3M ESPE**  
**Ketac Bond**  
**Polycrylic Acid for Dentin Pretreatment**  
**Полликрилическая кислота для подготовки дентина**  
**Poliacrilic acid for dentin pretreatment**  
**Poliacrilic acid for dentin pretreatment**  
**Ketac Bond**  
**Acid release dentin conditioner**  
**Poliacrilic acid for dentin pretreatment**  
**Ketac Bond**  
**Polycrylic acid for dentin pretreatment**  
**Poliacrilic acid for dentin pretreatment**  
**Ketac Bond**  
**Polycrylic acid for dentin pretreatment**

**Instructions for Use**  
**Инструкция по применению**  
**Указания за употреба**  
**Ketac Bond**  
**Poliacrilic acid for dentin pretreatment**  
**Ketac Bond**  
**Polycrylic acid for dentin pretreatment**  
**Poliacrilic acid for dentin pretreatment**  
**Ketac Bond**  
**Polycrylic acid for dentin pretreatment**



**3M Dental Division**  
**3M Dental Division**  
**3M Dental Division**  
**3M Dental Division**

**ENGLISH**  
**Product Description**  
**Misc. Conditioner is a polymeric acid solution for removal of the smear layer. It is applied to the dentin surface for 10-20 seconds and then rinsed with water. It is used to prepare the dentin surface for bonding of dental restorative materials.**

**Area of Application**  
**Dentin pretreatment prior to filling with dental restorative composites.**

**Precautionary Measures**  
**3M MS63 can be obtained at www.3m.com or from your local distributor.**

**Preparation**  
**Use water spray to remove any loose material deposited during preparation and dry the cavity with air.**

**Use**  
**Apply the product to the fully wet dentin surface with a brush-loading syringe. Dry with air.**

**Conditioning**  
**Apply to dentin for 10-20 seconds.**  
**Apply to dentin for 10-20 seconds.**  
**Apply to dentin for 10-20 seconds.**

**Storage and Shelf-life**  
**Store at room temperature.**  
**Do not use after the expiration date.**

**Information**  
**For more information, contact your distributor.**

**3M Dental Division**  
**3M Dental Division**  
**3M Dental Division**

**Характеристики**  
**Применение**  
**Хранение и срок годности**

**Упаковка**  
**Срок годности**

**Информация**  
**Для получения дополнительной информации свяжитесь с вашим дистрибьютором.**

**3M Dental Division**  
**3M Dental Division**  
**3M Dental Division**

**Ограничение ответственности**  
**3M не несет ответственности за любые повреждения, вызванные использованием продукта.**

**МАКВАР**  
**3M Dental Division**

**Срок годности**  
**3M MS63 можно использовать в течение 12 месяцев с даты производства.**

**Информация**  
**Для получения дополнительной информации свяжитесь с вашим дистрибьютором.**

**3M Dental Division**  
**3M Dental Division**  
**3M Dental Division**

**Застывающая масса**  
**3M Dental Division**

**Срок годности**  
**3M MS63 можно использовать в течение 12 месяцев с даты производства.**

**Информация**  
**Для получения дополнительной информации свяжитесь с вашим дистрибьютором.**

**3M Dental Division**  
**3M Dental Division**  
**3M Dental Division**

**Продукция может содержать**  
**3M Dental Division**

**Срок годности**  
**3M MS63 можно использовать в течение 12 месяцев с даты производства.**

**Информация**  
**Для получения дополнительной информации свяжитесь с вашим дистрибьютором.**

**3M Dental Division**  
**3M Dental Division**  
**3M Dental Division**

**3M Dental Division**  
**3M Dental Division**  
**3M Dental Division**

**3M Dental Division**  
**3M Dental Division**  
**3M Dental Division**

**3M Dental Division**  
**3M Dental Division**  
**3M Dental Division**

**3M Dental Division**  
**3M Dental Division**  
**3M Dental Division**

**3M Dental Division**  
**3M Dental Division**  
**3M Dental Division**

**3M Dental Division**  
**3M Dental Division**  
**3M Dental Division**

