

Version	Revision Date:	SDS Number:	Date of last issue: 17.03.2020
1.4	18.08.2022	66000002402	Date of first issue: 14.06.2016

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name :	Colgate Peroxyl Mouth Rinse Mild Mint Alcohol Free
	B06710010000 200000048796
Manufacturer or supplier's deta	ails
Address :	Colgate-Palmolive Pty Ltd., 345 George St, Sydney, New South Wales, Australia 2000.
Telephone :	CONSUMER AFFAIRS: - AU 1800 802 307 (Mon – Fri 7 - 5)
Emergency telephone number :	CHEMTREC Australia +(61)-290372994 Global-CHEMTREC- +1 703-741-5970
Recommended use of the chem	nical and restrictions on use
Recommended use :	A formulated mouth wash

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri- tation	:	Category 2
GHS label elements Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	H315 Causes skin irritation. H319 Causes serious eye irritation.



APJ

Version 1.4	Revision Date: 18.08.2022	SDS Number: 66000002402	Date of last issue: 17.03.2020 Date of first issue: 14.06.2016
Preca	autionary statements	Prevention:	
			in thoroughly after handling. otective gloves/ eye protection/ face protection.
		Response:	
		P305 + P351 for several min easy to do. Co P332 + P313 tion.	F ON SKIN: Wash with plenty of water. + P338 IF IN EYES: Rinse cautiously with water nutes. Remove contact lenses, if present and ontinue rinsing. If skin irritation occurs: Get medical advice/ atten- If eye irritation persists: Get medical advice/ at-
		tention.	
		P362 + P364 reuse.	Take off contaminated clothing and wash it before

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	CAS-No.	Concentration (% w/w)
Propylene Glycol	57-55-6	>= 5 -< 10
HYDROGEN PEROXIDE	7722-84-1	>= 1 -< 3
METHYL SALICYLATE	119-36-8	>= 0.1 -< 1

SECTION 4. FIRST AID MEASURES

General advice	:	If poisoning occurs, immediately contact a doctor or Poisons Information Centre (Phone Australia 131126; New Zealand 0800 764 766), and follow the advice given.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.



Version 1.4	Revision Date: 18.08.2022		DS Number: 60000002402	Date of last issue: 17.03.2020 Date of first issue: 14.06.2016
If swallowed		:	 Induce vomiting immediately and call a physician. Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital. 	
Most important symptoms and effects, both acute and delayed		:	Causes skin irritation. Causes serious eye irritation.	
Note	s to physician	:	Treat symptomat	tically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.	
Unsuitable extinguishing media	:	High volume water jet	
Specific hazards during fire- fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.	
Hazardous combustion prod- ucts	:	No hazardous combustion products are known	
Specific extinguishing meth- ods	:	Standard procedure for chemical fires.	
		Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.	
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary.	

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for	:	Soak up with inert absorbent material (e.g. sand, silica gel,



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Versio 1.4	on	Revision Date: 18.08.2022	-	OS Number: 0000002402	Date of last issue: 17.03.2020 Date of first issue: 14.06.2016
С	containment and cleaning up			acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.	
SECT	FION 7	. HANDLING AND ST	OR	AGE	
		on protection against explosion	:	Normal measures	for preventive fire protection.
А	Advice	on safe handling	:	Avoid contact with For personal prote Smoking, eating a plication area.	obtain special instructions before use.
F	Hygien	e measures	:	When using do no When using do no Wash hands befo	
C	Conditio	ons for safe storage	:	place. Observe label pre	ions / working materials must comply with
Ν	Materia	ls to avoid	:	Do not store near	acids.
	Further age sta	information on stor- bility	:	No decompositior	n if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Propylene Glycol	57-55-6	TWA (partic- ulate)	10 mg/m3	AU OEL
		TWA (Total (vapour and particles))	150 ppm 474 mg/m3	AU OEL
HYDROGEN PEROXIDE	7722-84-1	TWA	1 ppm 1.4 mg/m3	AU OEL
		TWA	1 ppm	ACGIH
		TWA	1 ppm	ACGIH



Version	Revision Date:	SDS Number:	Date of last issue: 17.03.2020
1.4	18.08.2022	66000002402	Date of first issue: 14.06.2016

Personal protective equipment					
Respiratory protection	No perso quired.	nal respiratory protective equipment normally re-			
Hand protection					
Remarks		ability for a specific workplace should be discussed producers of the protective gloves.			
Eye protection	Tightly fit	n bottle with pure water ting safety goggles e-shield and protective suit for abnormal processing s.			
Skin and body protection	Choose b	us clothing body protection according to the amount and con- n of the dangerous substance at the work place.			

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: blue
рН	: 4.5
Flash point	: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reac- tions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	No data available
Incompatible materials	:	Not applicable

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.



rsion I	Revision Date: 18.08.2022		DS Number: 0000002402	Date of last issue: 17.03.2020 Date of first issue: 14.06.2016	
<u>Produ</u>	<u>uct:</u>				
Acute	oral toxicity	:	Acute toxicity e Method: Calcu	estimate: > 2,000 mg/kg lation method	
Acute	dermal toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method		
<u>Comp</u>	oonents:				
Propy	/lene Glycol:				
Acute	oral toxicity	:	LD50 (Rat): 22	2,000 mg/kg	
Acute	inhalation toxicity	:	Remarks: No c	data available	
Acute	dermal toxicity	:	Remarks: No c	lata available	
HYDR	OGEN PEROXIDE:				
	oral toxicity	:	LD50 (Rat): 1, Method: OECI	026 mg/kg D Test Guideline 401	
Acute	inhalation toxicity	:	: LC0 (Rat): > 0.17 mg/l Exposure time: 4 h Test atmosphere: vapour Remarks: Harmful by inhalation.		
Acute	dermal toxicity	:	: LD50 (Rabbit): > 2,000 mg/kg Method: OECD Test Guideline 402		
METH	IYL SALICYLATE:				
Acute	oral toxicity	:	LD50 (Rat): 89	10 mg/kg	
Acute	inhalation toxicity	:	Remarks: No c	lata available	
Acute	dermal toxicity	:	LD50 (Rabbit): > 5,000 mg/kg Method: No information available.		
-	corrosion/irritation es skin irritation.				
<u>Comp</u>	oonents:				
Propy	/lene Glycol:				
Resul	-	:	No skin irritatio	งท	
HYDR	OGEN PEROXIDE:				
Speci Expos	es sure time	:	Rabbit 4 h		



APJ

ersion .4	Revision Date: 18.08.2022	SDS Number: 66000002402	Date of last issue: 17.03.2020 Date of first issue: 14.06.2016		
Metho Resul			Guideline 404 ter 3 minutes or less of exposure		
METH	HYL SALICYLATE:				
Speci Metho Resul	bd		 Rabbit OECD Test Guideline 404 Mild skin irritation 		
	o us eye damage/eye es serious eye irritatio				
<u>Com</u>	oonents:				
Prop	ylene Glycol:				
Resu	lt	: No eye irrita	tion		
НУП					
Speci		: Rabbit			
Resu	lt	: No eye irrita			
Metho	DO	: OECD Test	Guideline 405		
METH	HYL SALICYLATE:				
Speci		: Rabbit			
Resul	it ssment	: Eye irritatior : irritating	1		
		C C			
Resp	iratory or skin sensi	tisation			
	sensitisation				
	lassified based on ava				
•	iratory sensitisation				
	lassified based on ava	anable mormation.			
-	ponents:				
• •	ylene Glycol:	habeletter:			
Expo Rema	sure routes arks	: Inhalation : No data ava	ilable		
Expo	sure routes	: Dermal			
Resu		: Does not ca	use skin sensitisation.		
HYDF	ROGEN PEROXIDE:				
	sure routes	: Dermal			
Speci	es	: Guinea pig			
Resu	It	: Does not ca	: Does not cause skin sensitisation.		



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

APJ

Version 1.4	Revision Date: 18.08.2022	SDS Number: 660000002402	Date of last issue: 17.03.2020 Date of first issue: 14.06.2016
Expo Spec Resu		: inhalation (va : Mouse : Does not caus	oour) se respiratory sensitisation.
METI	HYL SALICYLATE:		
Expo Rema	sure routes arks	: Inhalation : No data availa	able
Expo Rema	sure routes arks	: Dermal : No data availa	able
Chro	nic toxicity		
	n cell mutagenicity lassified based on ava	ilable information.	
Com	ponents:		
METI	HYL SALICYLATE:		
Geno	toxicity in vitro	Test system:	vitro mammalian cell gene mutation test mouse lymphoma cells vation: with and without metabolic activation ve
Geno	toxicity in vivo	: Test Type: in Species: Mou Application Ro Result: negati	se bute: Oral

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

Components:

METHYL SALICYLATE:

Reproductive toxicity - As- : Suspected of damaging fertility or the unborn child. sessment

STOT - single exposure

Not classified based on available information.

Components:

HYDROGEN PEROXIDE:

Exposure routes : Inhalation



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version	Revision Date:	SDS Number:	Date of last issue: 17.03.2020
1.4	18.08.2022	66000002402	Date of first issue: 14.06.2016

Target Organs	:	Respiratory system
Assessment	:	May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

METHYL SALICYLATE:

Species NOAEL Application Route	:	Rat 50 mg/kg Oral
Species NOEC Application Route Test atmosphere	:	Rat 700 mg/l Inhalation vapour

Aspiration toxicity

Not classified based on available information.

2

Further information

Product:

Remarks

This product has not been tested as a whole. However, this formula was reviewed by expert toxicologists in the Product Safety Assurance Department of Colgate-Palmolive and is determined to be safe for its intended use. This review has taken into consideration available safety-related information including information on individual ingredients, similar formulas and potential ingredient interactions. This review is a component of the hazard determination used to prepare the statements in Section 2 of the SDS.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity		
Components:		
Propylene Glycol: Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): 18,880 mg/l Exposure time: 48 h



Version 1.4	Revision Date: 18.08.2022		0S Number: 0000002402	Date of last issue: 17.03.2020 Date of first issue: 14.06.2016
Toxic plants	ity to algae/aquatic s	:	EC50 (Pseudokiro mg/l Exposure time: 96	chneriella subcapitata (green algae)): 19,000 S h
Toxic icity)	ity to fish (Chronic tox-	:	No data available	:
	ity to daphnia and other tic invertebrates (Chron- icity)	:	No data available	:
HYDF	ROGEN PEROXIDE:			
Toxic	ity to fish	:	LC50 (Pimephale	s promelas (fathead minnow)): 16.4 mg/l
	ity to daphnia and other tic invertebrates	:	LC50 (Daphnia pu Exposure time: 24	ulex (Water flea)): 2.4 mg/l 1 h
Toxic plants	ity to algae/aquatic s	:	NOEC (Marine Di	atom): 0.63 mg/l
Toxic icity)	ity to fish (Chronic tox-	:	No data available	:
	ity to daphnia and other tic invertebrates (Chron- icity)	:	NOEC (Daphnia r	nagna (Water flea)): 0.63 mg/l
METH	HYL SALICYLATE:			
Toxic	ity to fish	:	LC50 (Danio reric Exposure time: 96) (zebra fish)): 19.8 mg/l S h
	ity to daphnia and other tic invertebrates	:	EC50 (Daphnia m Exposure time: 48	agna Straus): 28 mg/l 3 h
Toxic plants	ity to algae/aquatic s	:	NOEC: 6.25 mg/l Exposure time: 72 Test Type: static t	
Toxic icity)	ity to fish (Chronic tox-	:	No data available	:
	ity to daphnia and other tic invertebrates (Chron- icity)	:	No data available	:



Version	Revision Date:	SDS Number:	Date of last issue: 17.03.2020
1.4	18.08.2022	66000002402	Date of first issue: 14.06.2016

Persistence and degradability

_

Components:		
Propylene Glycol: Biodegradability	:	Result: Readily biodegradable.
HYDROGEN PEROXIDE: Biodegradability	:	Remarks: Not applicable
METHYL SALICYLATE: Biodegradability	:	Result: Readily biodegradable. Biodegradation: 98 % Exposure time: 28 d
Bioaccumulative potential		
Components:		
Propylene Glycol:		
Bioaccumulation	:	Bioconcentration factor (BCF): < 100
HYDROGEN PEROXIDE: Bioaccumulation Partition coefficient: n-	:	Remarks: No data available
octanol/water	•	log Fow1.57
METHYL SALICYLATE: Bioaccumulation	:	Remarks: No data available
Partition coefficient: n- octanol/water	:	log Pow: 2.6
Mobility in soil No data available Other adverse effects		
Product: Additional ecological infor- mation	:	No data available



Version	Revision Date:	SDS Number:	Date of last issue: 17.03.2020
1.4	18.08.2022	66000002402	Date of first issue: 14.06.2016

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with cal or used container. Send to a licensed waste management company.	ı chemi-
Contaminated packaging	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.	

SECTION 14. TRANSPORT INFORMATION

ADG (Australian Dangerous Goods) 7.7	:	Not regulated.
NZS (New Zealand's Standards) 5433	:	Not regulated.
ΙΑΤΑ	:	
		Not regulated.
IMDG	:	
		Not regulated.
		IMDG EmS Number : Not applicable.
ADR	:	
		Not regulated.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

APJ

Version	Revision Date:	SDS Number:	Date of last issue: 17.03.2020
1.4	18.08.2022	66000002402	Date of first issue: 14.06.2016

SECTION 15. REGULATORY INFORMATION

Safety, health and environmenta ture	al regulations/legislation	n specific for the substance or mix-
Standard for the Uniform : Scheduling of Medicines and Poisons	No poison schedule num	ber allocated
Prohibition/Licensing Requiremen	ts :	There is no applicable prohibition, authorisation and restricted use requirements, including for carcino- gens referred to in Schedule 10 of the model WHS Act and Regula- tions

AIIC	:	On the inventory, or in compliance with the inventory
NZIoC	:	On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

Revision Date	: 18.08.2022
Date format	: dd.mm.yyyy

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
AU OEL	:	Australia. Workplace Exposure Standards for Airborne Con-
		taminants.
ACGIH / TWA	:	8-hour, time-weighted average
AU OEL / TWA	:	Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version	Revision Date:	SDS Number:	Date of last issue: 17.03.2020
1.4	18.08.2022	66000002402	Date of first issue: 14.06.2016

Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN

APJ