

Page 1/9

Safety Data Sheet according to WHS Regulations

Printing date 23.09.2019

Version number 4

Revision: 23.09.2019

Hazardous according to criteria of Australian Safety and Compensation Council.

1 Identification

· Product identifier

- Trade name: Solare X
- *Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.*
- · Application of the substance / the mixture Auxillary for dental technology
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: GC Australasia Dental Pty Ltd
 1753 Botany Road Banksmeadow, NSW 2019 Tel: +61 2 9301 8200
- Further information obtainable from: Regulatory affairs
- Emergency telephone number: 24 hours Emergency: 13 11 26.

2 Hazard(s) Identification

· Classification of the substance or mixture

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 3 H331 Toxic if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2*A* H319 *Causes serious eye irritation.*

Skin Sens. 1 H317 May cause an allergic skin reaction.

· Label elements

· GHS label elements

Exempt from requirements - product regulated as a medical device or an in vitro diagnostic medical device. The product is classified and labelled according to the Globally Harmonised System (GHS). • Hazard pictograms



· Signal word Danger

• Hazard-determining components of labelling: Ytterbium trifluoride Urethane Dimethacrylate (UDMA) (octahydro-4,7-methano-1H-indenediyl)bis(methylene) bismethacrylate

• Hazard statements Harmful if swallowed. Toxic if inhaled.

(Contd. on page 2)

[–] ÁU

Printing date 23.09.2019

Version number 4

Revision: 23.09.2019

Trade name: Solare X

(Contd. of page 1) Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. **Precautionary statements** Avoid breathing dust/fume/gas/mist/vapours/spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves / eye protection / face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

- Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition and Information on Ingredients

· Chemical characterisation: Mixtures

· Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

U	components:	
72869-86-4	Urethane Dimethacrylate (UDMA)	10-<25%
	Skin Sens. 1, H317	
43048-08-4	(octahydro-4,7-methano-1H-indenediyl)bis(methylene) bismethacrylate	≥10-<20%
	Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335	
13760-80-0	Ytterbium trifluoride	5-<10%
	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331	
· Additional i	<i>nformation:</i> For the wording of the listed hazard phrases refer to section 16.	

4 First Aid Measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product. If symptoms persist consult doctor.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Do not use mouth to mouth or mouth to nose resuscitation. Take affected persons into fresh air and keep quiet.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly.

- Seek medical treatment.
- If skin irritation continues, consult a doctor.
- · After eye contact:
- Protect unharmed eye.

Rinse opened eye for several minutes under running water. Then consult a doctor.

(Contd. on page 3)

AU

Printing date 23.09.2019

Version number 4

Revision: 23.09.2019

(Contd. of page 2)

Trade name: Solare X

• After swallowing:

Do not induce vomiting; call for medical help immediately.

Rinse out mouth and then drink plenty of water.

• Information for doctor:

• Most important symptoms and effects, both acute and delayed Allergic reactions

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire Fighting Measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions.

· For safety reasons unsuitable extinguishing agents: Water with full jet

• Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire. No further relevant information available.

- · Advice for firefighters
- **Protective equipment:** Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental Release Measures

• Personal precautions, protective equipment and emergency procedures

Remove persons from danger area. Avoid contact with the eves and skin.

Wear protective clothing.

• Environmental precautions:

Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to penetrate the ground/soil.

In case of seepage into the ground inform responsible authorities.

Methods and material for containment and cleaning up: Absorb liquid components with liquid-binding material.

Dispose of the material collected according to regulations.

• **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and Storage

· Handling:

- Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- Avoid contact with the eyes and skin.
- · Information about fire and explosion protection: No special measures required.

(Contd. on page 4)

AU

Printing date 23.09.2019

Version number 4

Revision: 23.09.2019

Trade name: Solare X

(Contd. of page 3)

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists valid during the making were used as basis.

· Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:
- The usual precautionary measures are to be adhered to when handling chemicals.
- Avoid contact with the eyes and skin.
- Wash hands before breaks and at the end of work.
- Immediately remove all soiled and contaminated clothing
- Respiratory protection: Suitable respiratory protective device recommended.
- · Protection of hands:



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and Chemical Properties

- Information on basic physical and chemical properties
- General Information
- · Appearance: Form:
 - Colour:

Pasty According to product specification

(Contd. on page 5)

Printing date 23.09.2019

Version number 4

Revision: 23.09.2019

Trade name: Solare X

	(Contd. of pa	age 4
Odour:	Odourless	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range	e: Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gas):	Not applicable.	
Ignition temperature:	Undetermined.	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure:	Not determined.	
Density:	Not determined.	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Fully miscible.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	0.0 %	
VOC (EC)	0.0 g/l	
Other information	No further relevant information available.	

10 Stability and Reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

AU

Printing date 23.09.2019

Version number 4

Revision: 23.09.2019

Trade name: Solare X

(Contd. of page 5)

11 Toxicological Information

· Information on toxicological effects

· Acute toxicity

· LD/LC50 values relevant for classification:

72869-86-4 Urethane Dimethacrylate (UDMA)

Oral LD50 >5,000 mg/kg (rat female) (*OECD* 401)

- · Primary irritant effect:
- · Skin corrosion/irritation Irritant to skin and mucous membranes.
- · Serious eye damage/irritation Irritating effect.
- Respiratory or skin sensitisation Sensitisation possible through skin contact.
- · Repeated dose toxicity No further relevant information available.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- No further relevant information available.

12 Ecological Information

- · Toxicity
- · Aquatic toxicity:
- 72869-86-4 Urethane Dimethacrylate (UDMA)
- EC50/48h (static) >1.2 mg/l (daphnia magna) (OECD 202)
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

(Contd. on page 7)

Printing date 23.09.2019

Version number 4

Revision: 23.09.2019

(Contd. of page 6)

Trade name: Solare X

14 Transport information · UN-Number · ADG, ADN, IMDG, IATA not regulated · UN proper shipping name · ADG, ADN, IMDG, IATA not regulated • Transport hazard class(es) · ADG, ADN, IMDG, IATA · Class not regulated · Packing group · ADG, IMDG, IATA not regulated • Environmental hazards: · Marine pollutant: No · Special precautions for user Not applicable. · Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. · UN "Model Regulation": not regulated

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Australian I	Inventory of Chemical Substances
65997-17-3	Glass, oxide, chemicals
72869-86-4	Urethane Dimethacrylate (UDMA)
43048-08-4	(octahydro-4,7-methano-1H-indenediyl)bis(methylene) bismethacrylate
126-30-7	Neopentylglycol dimethacrylate
21245-01-2	3-methylbutyl 4-(dimethylamino)benzoate
2440-22-4	2-(2H-benzotriazol-2-yl)-p-cresol
1879-09-0	6-tert-butyl-2,4-xylenol
78-67-1	2,2'-dimethyl-2,2'-azodipropiononitrile
2530-85-0	3-trimethoxysilylpropyl methacrylate
128-37-0	Butylated hydroxytoluene
. Standard fo	r the Uniform Scheduling of Medicines and Poisons

· Standard for the Uniform Scheduling of Medicines and Poisons

None of the ingredients is listed.

• *GHS label elements* The product is classified and labelled according to the Globally Harmonised System (GHS). • *Hazard pictograms*



· Signal word Danger

(Contd. on page 8)

Printing date 23.09.2019

Version number 4

Revision: 23.09.2019

Trade name: Solare X

	(Contd. of page 7)
· Hazard-determining components of labelling:	
Ytterbium trifluoride	
Urethane Dimethacrylate (UDMA)	
(octahydro-4,7-methano-1H-indenediyl)bis(methylene) bismethacrylate	
· Hazard statements	
Harmful if swallowed.	
Toxic if inhaled.	
Causes skin irritation.	
Causes serious eye irritation.	
May cause an allergic skin reaction.	
· Precautionary statements	
Avoid breathing dust/fume/gas/mist/vapours/spray.	
Contaminated work clothing should not be allowed out of the workplace.	
Wear protective gloves / eye protection / face protection.	
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if	present and easy to do
Continue rinsing.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international reg	gulations.
Directive 2012/18/EU	
Named dangerous substances - ANNEX I None of the ingredients is listed.	
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	
Other information	
6 Other information	
· Relevant phrases	
• Relevant phrases H301 Toxic if swallowed.	
Relevant phrases H301 Toxic if swallowed. H311 Toxic in contact with skin.	
Relevant phrases H301 Toxic if swallowed. H311 Toxic in contact with skin. H315 Causes skin irritation.	
Relevant phrases H301 Toxic if swallowed. H311 Toxic in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction.	
Relevant phrases H301 Toxic if swallowed. H311 Toxic in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.	
Relevant phrases H301 Toxic if swallowed. H311 Toxic in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H331 Toxic if inhaled.	
Relevant phrases H301 Toxic if swallowed. H311 Toxic in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.	
Relevant phrasesH301 Toxic if swallowed.H311 Toxic in contact with skin.H315 Causes skin irritation.H317 May cause an allergic skin reaction.H319 Causes serious eye irritation.H331 Toxic if inhaled.H335 May cause respiratory irritation.	
Relevant phrasesH301 Toxic if swallowed.H311 Toxic in contact with skin.H315 Causes skin irritation.H317 May cause an allergic skin reaction.H319 Causes serious eye irritation.H331 Toxic if inhaled.H335 May cause respiratory irritation.Department issuing SDS: Regulatory affairs	
 Relevant phrases H301 Toxic if swallowed. H311 Toxic in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H331 Toxic if inhaled. H335 May cause respiratory irritation. Department issuing SDS: Regulatory affairs Contact: msds@gc.dental Abbreviations and acronyms: 	
Relevant phrases H301 Toxic if swallowed. H311 Toxic in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H331 Toxic if inhaled. H335 May cause respiratory irritation. Department issuing SDS: Regulatory affairs Contact: msds@gc.dental Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement of the interview)	concerning the Internationa
 Relevant phrases H301 Toxic if swallowed. H311 Toxic in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H331 Toxic if inhaled. H335 May cause respiratory irritation. Department issuing SDS: Regulatory affairs Contact: msds@gc.dental Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement of Carriage of Dangerous Goods by Road) 	concerning the Internationa
 Relevant phrases H301 Toxic if swallowed. H311 Toxic in contact with skin. H315 Causes skin irritation. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H331 Toxic if inhaled. H335 May cause respiratory irritation. Department issuing SDS: Regulatory affairs Contact: msds@gc.dental Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement of Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods 	concerning the Internationa
 Relevant phrases H301 Toxic if swallowed. H311 Toxic in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H331 Toxic if inhaled. H335 May cause respiratory irritation. Department issuing SDS: Regulatory affairs Contact: msds@gc.dental Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement of Carriage of Dangerous Goods by Road) 	concerning the Internationa
 Relevant phrases H301 Toxic if swallowed. H311 Toxic in contact with skin. H315 Causes skin irritation. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H331 Toxic if inhaled. H335 May cause respiratory irritation. Department issuing SDS: Regulatory affairs Contact: msds@gc.dental Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances 	concerning the Internationa
 Relevant phrases H301 Toxic if swallowed. H311 Toxic in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H331 Toxic if inhaled. H335 May cause respiratory irritation. Department issuing SDS: Regulatory affairs Contact: msds@gc.dental Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement of Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) 	concerning the Internationa
 Relevant phrases H301 Toxic if swallowed. H311 Toxic in contact with skin. H315 Causes skin irritation. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H331 Toxic if inhaled. H335 May cause respiratory irritation. H335 May cause respiratory irritation. Department issuing SDS: Regulatory affairs Contact: msds@gc.dental Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement of Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINCCS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU)	concerning the Internationa
 <i>Relevant phrases</i> <i>H301 Toxic if swallowed.</i> <i>H311 Toxic in contact with skin.</i> <i>H315 Causes skin irritation.</i> <i>H317 May cause an allergic skin reaction.</i> <i>H317 May cause an allergic skin reaction.</i> <i>H319 Causes serious eye irritation.</i> <i>H331 Toxic if inhaled.</i> <i>H335 May cause respiratory irritation.</i> <i>Department issuing SDS:</i> Regulatory affairs <i>Contact:</i> msds@gc.dental <i>Abbreviations and acronyms:</i> <i>ADR:</i> Accord européen sur le transport des marchandises dangereuses par Route (European Agreement of Carriage of Dangerous Goods by Road) <i>MDG:</i> International Maritime Code for Dangerous Goods <i>IATA:</i> International Air Transport Association <i>EINCS:</i> European Inventory of Existing Commercial Chemical Substances <i>ELINCS:</i> European List of Notified Chemical Substances <i>CAS:</i> Chemical Abstracts Service (division of the American Chemical Society) <i>VOC:</i> Volatile Organic Compounds (USA, EU) <i>LCS0:</i> Lethal concentration, 50 percent <i>LDS0:</i> Lethal dose, 50 percent 	concerning the Internationa
 Relevant phrases H301 Toxic if swallowed. H311 Toxic in contact with skin. H311 Toxic in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H331 Toxic if inhaled. H335 May cause respiratory irritation. Department issuing SDS: Regulatory affairs Contact: msds@gc.dental Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement of Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LCS0: Lethal concentration, 50 percent LDS0: Lethal concentration, 50 percent PBT: Persistent, Bioaccumulative and Toxic	concerning the Internationa
 Relevant phrases H301 Toxic if swallowed. H311 Toxic in contact with skin. H315 Causes skin irritation. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H319 Causes serious eye irritation. H331 Toxic if inhaled. H335 May cause respiratory irritation. Department issuing SDS: Regulatory affairs Contact: msds@gc.dental Abreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement of Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative	concerning the Internationa
 Relevant phrases H301 Toxic if swallowed. H311 Toxic in contact with skin. H315 Causes skin irritation. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H319 Causes serious eye irritation. H331 Toxic if inhaled. H335 May cause respiratory irritation. H335 May cause respiratory irritation. Department issuing SDS: Regulatory affairs Contact: msds@gc.dental Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement of Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association ELINCS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Ist of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PB7: Persistent, Bioaccumulative and Toxic vPVB: very Persistent and very Bioaccumulative Acute Tox: 3: Acute toxicity - Category 3	concerning the Internationa
 Relevant phrases H301 Toxic if swallowed. H311 Toxic in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H331 Toxic if inhaled. H333 Toxic if inhaled. H335 May cause respiratory irritation. Department issuing SDS: Regulatory affairs Contact: msds@gc.dental Abreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement of Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPWB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 3: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2	concerning the Internationa
 Relevant phrases H301 Toxic if swallowed. H311 Toxic in contact with skin. H315 Causes skin irritation. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H319 Causes serious eye irritation. H331 Toxic if inhaled. H335 May cause respiratory irritation. Department issuing SDS: Regulatory affairs Contact: msds@gc.dental Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement of Carriage of Dangerous Goods by Road) IMDG: International Air Transport Association EINCS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LDS0: Lethal concentration, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity – Category 4 Acute Tox. 4: Acute toxicity – Category 2 Eye Irrit. 24: Serious eye damage/eye irritation – Category 2A 	concerning the Internationa
 Relevant phrases H301 Toxic if swallowed. H311 Toxic in contact with skin. H315 Causes skin irritation. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H331 Toxic if inhaled. H335 May cause respiratory irritation. Department issuing SDS: Regulatory affairs Contact: msds@gc.dental Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement of Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PB57: Persistent, Bioaccumulative and Toxic vPVB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Skin Sens. 1: Skin sensitisation – Category 1	concerning the Internationa
Relevant phrases H301 Toxic if swallowed. H311 Toxic in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H331 Toxic if inhaled. H335 May cause respiratory irritation. Pepartment issuing SDS: Regulatory affairs Contact: msds@gc.dental Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement of Carriage of Dangerous Goods by Road) IMDG: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LCS0: Lethal concentration, 50 percent LDS1: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox, 3: Acute toxicity – Category 3 Acute Tox, 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	concerning the Internationa (Contd. on page 9

Printing date 23.09.2019

Version number 4

Revision: 23.09.2019

(Contd. of page 8)

AU -

Trade name: Solare X

· Sources

• ECHA (http://echa.europa.eu/)

• EnviChem (www.echemportal.org)

• * Data compared to the previous version altered.

This version replaces all previous versions. Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.