

## SAFETY DATA SHEET

### Section 1. Product And Company Identification

**Product Name:** Temp-Bond Base

**Product Use:** Dental product: Temporary cement

**Manufacturer:** Kerr Corporation  
1717 W. Collins Ave.  
Orange, CA 92867-5422  
U.S.A.

**Information Phone Number:** 1-800-841-1428 (Customer Service)

**Chemical Emergency Phone Number** (Chemical Spills, Leaks, Fire, Exposure or Accident only):  
CHEMTREC 1-800-424-9300 (in the US) 1-703-527-3887 (Outside the US)

**SDS Date of Preparation/Revision:** February 14, 2019

### Section 2. Hazards Identification

**GHS Classification:**

Aquatic Acute Toxicity Category 1

Aquatic Chronic Toxicity Category 1

**Label Elements:**

Warning!



**Hazard Phrases**

Very toxic to aquatic life with long lasting effects.

**Precautionary Phrases:**

Avoid release to the environment.

Collect spillage.

Dispose of contents and container in accordance with local and national regulations.

### Section 3. Composition/Information on Ingredients

Component	CAS No.	Amount
Zinc oxide	1314-13-2	60-100%
White mineral oil (petroleum)	8042-47-5	5-10%

## Section 4. First Aid Measures

**Inhalation:** Immediately remove victim to fresh air. If breathing is difficult, oxygen should be administered by qualified personnel. If breathing has stopped, administer artificial respiration. Get immediate medical attention.

**Skin Contact:** Flush thoroughly with water. Get medical attention if irritation or symptoms of exposure develop. Remove and launder contaminated clothing before re-use.

**Eye Contact:** Rinse thoroughly with water. Get medical attention if irritation occurs and persists.

**Ingestion:** Do NOT induce vomiting. Rinse mouth with water. Never give anything by mouth to an unconscious or convulsing person. Keep the victim calm and warm. Get immediate medical attention.

**Most important symptoms and effects, acute and delayed:** May cause eye irritation, skin dryness and irritation, and irritating to mouth, throat and stomach.

**Indication of immediate medical attention and special treatment, if needed:** None required under normal conditions of use.

## Section 5. Fire Fighting Measures

**Suitable (and Unsuitable) Extinguishing Media:** Use any media appropriate for the surrounding fire. Cool fire exposed containers with water.

**Specific Hazards Arising from the Chemical:** Combustion may produce carbon dioxide, carbon monoxide, and metal oxides.

**Special Protective Equipment and Precautions for Fire-fighters:** Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing for fires in areas where chemicals are used or stored. Cool fire-exposed containers with water. Contain water used in firefighting from entering sewers or natural waterways.

## Section 6: Accidental Release Measures

**Personal precautions, Protective equipment, and Emergency procedures:** Evacuate spill area and keep unprotected personnel away. Avoid contact with eyes, skin and clothing. Wear appropriate protective clothing and equipment.

**Environmental Precautions:** Avoid releases to the environment. Report spill as required by local and federal regulations.

**Methods and Materials for Containment and Cleaning up:** Prompt cleanup and removal are necessary. Absorb spills with an inert material and place in an appropriate waste disposal container.

## Section 7. Handling and Storage

**Precautions for Safe Handling:** Prevent contact with eyes, skin and clothing. Always wear impervious gloves, chemical safety goggles and protective clothing when handling this material. Wash thoroughly with soap and water after handling. Do not eat, drink or smoke in the work area. Remove and wash

contaminated clothing before reuse.

Empty containers retain product residues which can be hazardous. Follow all SDS precautions when handling empty containers.

**Conditions for Safe Storage, Including any Incompatibilities:** Store in a cool, dry, well-ventilated area away from direct sunlight. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers.

## Section 8. Exposure Controls / Personal Protection

### Exposure Limits

Chemical	Exposure Limit
Zinc oxide	10 mg/m <sup>3</sup> STEL ACGIH TLV
White mineral oil (petroleum)	5 mg/m <sup>3</sup> TWA NIOSH REL

**Appropriate Engineering Controls:** Use with adequate general or local exhaust ventilation to maintain exposure levels below the occupational exposure limits.

**Respiratory Protection:** In operations where exposure levels are exceeded, an approved dust/mist respirator or supplied air respirator should be used. Equipment selection depends on contaminant type and concentration. Select in accordance with applicable regulations and good industrial hygiene practice.

**Hand protection:** Impervious gloves are suggested to prevent skin contact. Contact your glove supplier for selection assistance.

**Eye Protection:** Chemical safety goggles are recommended if contact is possible.

**Skin Protection:** Wear protective clothing as needed to avoid skin contact and contamination of personal clothing.

**Hygiene measures:** Suitable eye and skin washing facilities should be available in the work area.

## Section 9. Physical and Chemical Properties

<b>Appearance:</b>	White paste	<b>Odor:</b>	Odorless
<b>Odor Threshold:</b>	Not available	<b>pH:</b>	Not available
<b>Melting/Freezing Point:</b>	Not available	<b>Boiling Point/Range:</b>	Not available
<b>Flash Point:</b>	Not flammable	<b>Evaporation Rate:</b>	Not available
<b>Flammability: (Solid, Gas)</b>	Not available	<b>Flammability Limits:</b>	LEL: Not applicable UEL: Not applicable
<b>Vapor Pressure:</b>	Not available	<b>Vapor Density:</b>	Not available
<b>Relative Density:</b>	>1	<b>Solubilities:</b>	Insoluble in water
<b>Partition Coefficient:</b>	Not available	<b>Autoignition</b>	Not available

(N-Octanol/Water)  
Decomposition Not available  
Temperature:

Temperature:  
Viscosity: Not available

## Section 10. Stability and Reactivity

**Reactivity:** The product is not expected to be reactive.

**Chemical Stability:** Stable under normal storage and handling conditions.

**Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.

**Conditions to avoid:** Avoid heat and direct sunlight.

**Incompatible Materials:** No data available.

**Hazardous decomposition products:** None if stored normally.

## Section 11. Toxicological Information

### Potential Health Effects:

**Inhalation:** No data available.

**Skin Contact:** May defat the skin and cause skin dryness and irritation.

**Eye Contact:** May cause eye irritation.

**Ingestion:** Swallowing may be irritating to mouth, throat and stomach.

**Chronic Hazards:** Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/or dermatitis.

**Skin Sensitization:** No adverse effects expected. Components are not sensitizers.

**Respiratory Sensitization:** No data available. This product is not expected to cause respiratory sensitization.

**Germ Cell Mutagenicity:** None of the components have shown mutagenic activity in animal studies.

**Carcinogen:** None of the components are listed as a carcinogen or potential carcinogen by IARC, NTP, ACGIH, or OSHA.

**Developmental / Reproductive Toxicity:** None of the components have been shown to cause reproductive or developmental toxicity.

**Specific Target Organ Toxicity (Single Exposure):** No data available.

**Specific Target Organ Toxicity (Repeated Exposure):** No data available.

**Aspiration Toxicity:** White mineral oil (petroleum) is an aspiration hazard Category 1.

### Acute Toxicity Values:

Zinc oxide: LD50 Oral rat: 7950 mg/kg, LD50 Dermal rat: >2000 mg/kg;

LC50 Inhalation rat: 5.7 mg/L/4hr

White mineral oil (petroleum): LD50 Oral rat: >5000 mg/kg, LD50 Dermal rabbit: >2000 mg/kg;

LC50 Inhalation rat: >5000 mg/L/4hr

## Section 12. Ecological Information

**Toxicity:**

Zinc oxide: 96 hr LC50 Oncorhynchus mykiss 1.1 ppm; 72 hr EC50 Algae 0.042 mg/L;  
 48 hr LC50 Daphnia magna 98 µg/L  
 White mineral oil (petroleum): 96 hr LC50 Oncorhynchus mykiss 190 µg/L; 48 hr LC50 Daphnia magna-  
 33.8 µg/L

This product is classified as very toxic to the aquatic environment with long-term adverse effects. Releases to the environment should be avoided.

**Persistence and degradability:** Biodegradation is not applicable to inorganic substances.

**Bioaccumulative Potential:**

Zinc oxide has a BCF of 60960, potential for bioaccumulative is high.  
 White mineral oil (petroleum): log P<sub>ow</sub> >6, potential for bioaccumulative is high.

**Mobility in Soil:** No data available.

**Other Adverse Effects:** No data available.

## Section 13. Disposal Considerations

**Disposal:** For unused product, dispose of in accordance with Federal and local regulations.

**Container Disposal:** Dispose of empty container in accordance with Federal and local regulations.

## Section 14. Transport Information

	UN Number	UN Proper Shipping Name	Hazard Class(s)	Packing Group	Environmental Hazards
<b>US DOT</b>	UN3077	Environmentally hazardous substances, solid, n.o.s. (zinc oxide). Marine pollutant (zinc oxide)	9	III	Yes
<b>EU ADR/RID</b>	UN3077	Environmentally hazardous substances, solid, n.o.s. (zinc oxide). Marine pollutant (zinc oxide)	9	III	Yes
<b>IMDG</b>	UN3077	Environmentally hazardous substances, solid, n.o.s. (zinc oxide). Marine pollutant (zinc oxide)	9	III	Yes
<b>IATA/ICAO</b>	UN3077	Environmentally hazardous substances, solid, n.o.s. (zinc oxide). Marine pollutant (zinc oxide)	9	III	Yes

**Special Precautions for User:** None identified

**Transport in Bulk According to Annex II MARPOL 73/78 and the IBC Code:** Not applicable – product is transported only in packaged form.

## Section 15. Regulatory Information

### U.S. Federal Regulations:

**EPA SARA 311/312 Hazard Classification:** Refer to Section 2 for OSHA Hazard Classification.

**EPA SARA 313: This Product Contains the Following Chemicals Subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372):** None

**Protection Of Stratospheric Ozone:** This product is not known to contain or to have been manufactured with ozone depleting substances as defined in 40 CFR Part 82, Appendix A to Subpart A.

**CERCLA SECTION 103:** This product is not subject to CERCLA reporting requirements; however, many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

### International Inventories

**US EPA TSCA Inventory:** All of the components of this product are listed on the Toxic Substances Control Act (TSCA) Chemical Substances Inventory or exempt.

**Canada CEPA:** All of the components of this material are listed on the DSL or exempt.

## Section 16. Other Information

**Effective Date:** February 14, 2019

**Supersedes Date:** February 9, 2015

**Revision Summary:** All Sections – New SDS format

The information and recommendations set forth herein are taken from sources believed to be accurate as of the date of preparation, however, KERR Corporation makes no warranty with respect to the accuracy or suitability of the recommendations, and assumes no liability to any use thereof.