

SAFETY DATA SHEET

Section 1. Product And Company Identification

Product Name: Vertise Flow

Product Use: Dental product: Composite

Manufacturer: Kerr Corporation
1717 W. Collins Ave.
Orange, CA 92867-5422
U.S.A.

Australian Supplier: **Kerr Australia Pty Limited**
Unit 10, 112-118 Talavera Road
North Ryde, NSW 2113
Australia
Telephone no.: 1 800 643 603
Email general queries: kavokerr.orders@kavokerr.com
Email technical queries: safety@kavokerr.com

Information Phone Number: 1-800-KERR-123 (in the US)

Emergency Phone Number: Poisons Information Helpline: 131126 (24 hours)

SDS Date of Preparation/Revision: April 15, 2020

Section 2. Hazards Identification

GHS Classification:

Skin Irritation Category 2

Eye Irritation Category 2A

Skin Sensitization Category 1

Label Elements:

Warning!



Hazard Phrases:

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

Precautionary Phrases:

P261 Avoid breathing dust and vapors.

P264 Wash hands thoroughly after handling.

- P272 Contaminated work clothing should not be allowed out of the workplace.
 P280 Wear eye protection and protective gloves.
 P302+352 IF ON SKIN: Wash with plenty of water.
 P333+313 If skin irritation or rash occurs: Get medical attention.
 P362+364 Take off contaminated clothing and wash it before reuse.
 P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
 P337+313 If eye irritation persists: Get medical attention.
 P501 Dispose of contents and container in accordance with local and national regulations.

Section 3. Composition/Information on Ingredients

Component	CAS No.	Amount
Ytterbium trifluoride	13760-80-0	5-10%
2-hydroxyethyl methacrylate	868-77-9	5-10%
7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate	72869-86-4	5-10%
2-hydroxy-1,3-propanediyl bismethacrylate	1830-78-0	1-5%
Poly(oxy-1,2-ethanediyl), α,α' -[(1-methylethylidene)di-4,1-phenylene]bis[ω -[(2-methyl-1-oxo-2-propenyl)oxy]-	41637-38-1	1-5%

Section 4. First Aid Measures

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if you feel unwell.

Skin Contact: Remove contaminated clothing and shoes. Flush skin thoroughly with water for several minutes. Get medical attention if irritation or rash occurs. Launder clothing before re-use.

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. Get medical attention if irritation occurs and persists.

Ingestion: If swallowed, rinse mouth with water (only if the person is conscious). Call a POISON CENTER or doctor if you feel unwell.

Most important symptoms and effects, acute and delayed: Causes moderate skin irritation and serious eye irritation. Direct contact may cause an allergic skin reaction.

Indication of immediate medical attention and special treatment, if needed: Treat symptomatically.

Section 5. Fire Fighting Measures

Suitable (and Unsuitable) Extinguishing Media: Use any media appropriate for the surrounding fire. Cool fire exposed containers with water.

Specific Hazards Arising from the Chemical: Combustion may produce carbon dioxide, carbon monoxide, nitrogen oxides, phosphorus oxides, halogenated compounds, and metal oxides.

Special Protective Equipment and Precautions for Fire-fighters: Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing for fires in areas where chemicals are used or stored. Cool fire-exposed containers with water. Contain water used in firefighting from entering sewers or natural waterways.

Section 6: Accidental Release Measures

Personal precautions, Protective equipment, and Emergency procedures: Evacuate spill area and keep unprotected personnel away. Avoid contact with eyes, skin and clothing. Wear appropriate protective clothing and equipment. Avoid breathing dust and vapors from dried paste.

Environmental Precautions: Avoid releases to the environment. Report spill as required by local and federal regulations.

Methods and Materials for Containment and Cleaning up: Prompt cleanup and removal are necessary. Absorb spills with an inert material and place in an appropriate waste disposal container.

Section 7. Handling and Storage

Precautions for Safe Handling: Prevent contact with eyes, skin and clothing. Always wear impervious gloves, chemical safety goggles and protective clothing when handling this material. Wash thoroughly with soap and water after handling. Do not eat, drink or smoke in the work area. Do not breathe dust or vapors. Use with adequate ventilation. Remove and wash contaminated clothing before reuse.

Empty containers retain product residues which can be hazardous. Follow all SDS precautions when handling empty containers.

Conditions for Safe Storage, Including any Incompatibilities: Store in a cool, dry, well-ventilated area away from direct sunlight. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers.

Section 8. Exposure Controls / Personal Protection

Exposure Limits

Chemical	Exposure Limit
Ytterbium trifluoride	2.5 mg/m ³ TWA Safe Work Australia
2-hydroxyethyl methacrylate	None Established
7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate	None Established
2-hydroxy-1,3-propanediyl bismethacrylate	None Established
Poly(oxy-1,2-ethanediyl), α,α'-[(1-methylethylidene)di-4,1-phenylene]bis[ω-[(2-methyl-1-oxo-2-propenyl)oxy]-	None Established

Appropriate Engineering Controls: Use with adequate general or local exhaust ventilation to maintain exposure levels below the occupational exposure limits.

Respiratory Protection: None under normal use conditions with adequate ventilation. For operations where the occupational exposure limits are exceeded, an approved respirator with particulate cartridges is recommended. Equipment selection depends on contaminant type and concentration. Select in accordance with applicable regulations and good industrial hygiene practice. For firefighting, use self-contained breathing apparatus.

Hand protection: Impervious gloves are suggested to prevent skin contact. Contact your glove supplier for selection assistance.

Eye Protection: Chemical safety goggles are recommended if contact is possible.

Skin Protection: Wear protective clothing as needed to avoid skin contact and contamination of personal clothing.

Hygiene measures: Suitable eye and skin washing facilities should be available in the work area.

Section 9. Physical and Chemical Properties

Appearance:	Various colored paste	Odor:	Fruity ester-like
Odor Threshold:	Not available	pH:	Not available
Melting/Freezing Point:	Not available	Boiling Point/Range:	Not available
Flash Point:	Not flammable	Evaporation Rate:	Not available
Flammability: (Solid, Gas)	Not applicable	Flammability Limits:	LEL: Not applicable UEL: Not applicable
Vapor Pressure:	Not available	Vapor Density:	Not available
Relative Density:	1.9	Solubilities:	Insoluble in water
Partition Coefficient: (N-Octanol/Water)	Not available	Autoignition Temperature:	Not available
Decomposition Temperature:	Not available	Viscosity:	Not available

Section 10. Stability and Reactivity

Reactivity: The product is not expected to be reactive.

Chemical Stability: Stable under normal storage and handling conditions.

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Conditions to avoid: Avoid heat and direct sunlight. Heat can cause polymerization with rapid release of energy.

Incompatible Materials: Oxidizing materials, reducing materials, acids, peroxides, and amines.

Hazardous decomposition products: None if stored normally.

Section 11. Toxicological Information

Potential Health Effects:

Inhalation: Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.

Skin Contact: Causes skin irritation. May cause an allergic skin reaction.

Eye Contact: Causes serious eye irritation.

Ingestion: Swallowing may be irritating to mouth, throat and stomach.

Chronic Hazards: Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.

Skin corrosion/irritation: This product is not expected to cause skin irritation or corrosion.

Eye damage/ irritation: This product is not expected to cause eye irritation or corrosion.

Skin Sensitization: No adverse effects expected. Components are not sensitizers.

Respiratory Sensitization: No data available. This product is not expected to cause respiratory sensitization.

Germ Cell Mutagenicity: None of the components have shown mutagenic activity in animal studies.

Carcinogen: None of the components are listed as a carcinogen or potential carcinogen by IARC, NTP, or EU CLP.

Developmental / Reproductive Toxicity: None of the components have been shown to cause reproductive or developmental toxicity.

Specific Target Organ Toxicity (Single Exposure): May cause irritation to the respiratory tract by prolonged exposure.

Specific Target Organ Toxicity (Repeated Exposure): No data available.

Aspiration Toxicity: Not an aspiration hazard.

Acute Toxicity Values:

2-hydroxyethyl methacrylate: LD50 Oral rat: 5050 mg/kg; LD50 Dermal rabbit: >3000 mg/kg

Poly(oxy-1,2-ethanediyl), α,α' -[(1-methylethylidene)di-4,1-phenylene]bis[ω -[(2-methyl-1-oxo-2-propen-1-yl)oxy]-: LD50 Oral rat: > 2000 mg/kg; LD50 Dermal rat: > 2000 mg/kg

Section 12. Ecological Information

Toxicity:

2-hydroxyethyl methacrylate: 96 hr LC50 *Pimephales promelas* 227 mg/L;

48 hr EC50 *Daphnia magna* >280 mg/L; 72 hr IC50 Algae 836 mg/L

Poly(oxy-1,2-ethanediyl), α,α' -[(1-methylethylidene)di-4,1-phenylene]bis[ω -[(2-methyl-1-oxo-2-propen-1-yl)oxy]-: 96 hr LD50 fish > 100 mg/L; 48 hr EC50 *Daphnia magna* > 100 mg/L; 72 hr Algae > 100 mg/L

Persistence and degradability: 2-hydroxyethyl methacrylate is readily biodegradable.

Bioaccumulative Potential:

2-hydroxyethyl methacrylate: log P_{ow} 0.42, potential for bioaccumulative is low.

7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate:

log P_{ow} 3, potential for bioaccumulative is low.

Poly(oxy-1,2-ethanediyl), α,α' -[(1-methylethylidene)di-4,1-phenylene]bis[ω -[(2-methyl-1-oxo-2-propen-1-yl)oxy]-has a BCF of 2372 log P_{ow} 3.43 to 5.62, potential for bioaccumulative is high.

Mobility in Soil: Slightly soluble.

Other Adverse Effects: No data available.

Section 13. Disposal Considerations

Disposal: For unused product, dispose of in accordance with Federal and local regulations.

Container Disposal: Dispose of empty container in accordance with Federal and local regulations.

Section 14. Transport Information

	UN Number	UN Proper Shipping Name	Hazard Class(s)	Packing Group	Environmental Hazards
ADG	None	Not Regulated	None	None	None
IMDG	None	Not Regulated	None	None	None
IATA/ICAO	None	Not Regulated	None	None	None

Special Precautions for User: None identified.

Transport in Bulk According to Annex III MARPOL 73/78 and the IBC Code: Not applicable – product is transported only in packaged form.

Hazchem Code: Not applicable.

Section 15. Regulatory Information

Montreal Protocol (Ozone Depleting Substances): None present

The Stockholm Convention (Persistent Organic Pollutants): None present

The Rotterdam Convention (Prior Informed Consent): None present

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): None present

Australian AICS: Not determined.

Section 16. Other Information

Effective Date: April 15, 2020

Supersedes Date: August 12, 2014

Revision Summary: All Sections – New SDS format

The information and recommendations set forth herein are taken from sources believed to be accurate as of the date of preparation, however, KERR Corporation makes no warranty with respect to the accuracy or suitability of the recommendations, and assumes no liability to any use thereof.