

Page 1/7

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.05.2020 Version number 4 Revision: 14.05.2020

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
  - · Trade name: Flexitime Bite Cat
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
  - · Application of the substance / the mixture Dental impression material
- · 1.3 Details of the supplier of the safety data sheet
  - Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany) Tel.: +49 (0)800 4372522

- · Informing department: E-Mail: msds@kulzer-dental.com
- · 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

#### SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
  - Classification according to Regulation (EC) No 1272/2008

STOT RE 1 H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

- · 2.2 Label elements
  - Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS08

- · Signal word Danger
- · Hazard-determining components of labelling: cristobalite
- · Hazard statements

H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection. P314 Get medical advice/attention if you feel unwell.

- · 2.3 Other hazards -
  - Results of PBT and vPvB assessment
    - · PBT: Not applicable.
    - · vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: -

(Contd. on page 2)



Page 2/7

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.05.2020 Version number 4 Revision: 14.05.2020

# Trade name: Flexitime Bite Cat

(Contd. of page 1)

Dangerous components:			
CAS: 14464-46-1 EINECS: 238-455-4	cristobalite	STOT RE 1, H372	25-50%
CAS: 556-67-2 EINECS: 209-136-7 Reg.nr.: 2119529238-36-xxxx	octamethylcyclotetrasiloxane	Flam. Liq. 3, H226 Repr. 2, H361f Aquatic Chronic 4, H413	≥0-<3%
·SVHC			
556-67-2 octamethylcyclotetra	siloxane		

· Additional information For the wording of the listed hazard phrases refer to section 16.

#### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
  - After inhalation Supply fresh air; consult doctor in case of symptoms.
  - After skin contact

Instantly rinse with water.

If skin irritation continues, consult a doctor.

· After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor.

After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### SECTION 5: Firefighting measures

- 5.1 Extinguishing media
  - Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Use fire fighting measures that suit the environment.

· 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
  - Protective equipment: No special measures required.
  - Additional information -

#### SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Avoid contact with eyes and skin.
- 6.2 Environmental precautions: Prevent material from reaching sewage system, holes and cellars.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

(Contd. on page 3)



Page 3/7

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.05.2020 Version number 4 Revision: 14.05.2020

Trade name: Flexitime Bite Cat

(Contd. of page 2)

## SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
  - Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
  - · Storage
    - Requirements to be met by storerooms and containers: No special requirements.
    - Information about storage in one common storage facility: Not required.
    - · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

13463-67-7 Titandioxid

WEL (Great Britain) Long-term value: 10\* 4\*\* mg/m³ \*total inhalable \*\*respirable

· Additional information: The lists that were valid during the compilation were used as basis.

- · 8.2 Exposure controls
  - Personal protective equipment
    - General protective and hygienic measures

Keep away from foodstuffs, beverages and food.

Wash hands during breaks and at the end of the work.

- · Breathing equipment: Use a mask with particle filter in case of dust generation.
- Protection of hands:

Check protective gloves prior to each use for their proper condition.

recommended

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR

Nitrile rubber, NBR

- Eye protection: Safety glasses
- · Body protection: Light weight protective clothing

GB



Page 4/7

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.05.2020 Version number 4 Revision: 14.05.2020

Trade name: Flexitime Bite Cat

(Contd. of page 3)

SECTION 9: Physical and chen	nical properties	
9.1 Information on basic physical and	d chemical properties	
· General Information		
· Appearance:		
Form:	Pasty	
· Colour: · Smell:	White	
· Odour threshold:	Characteristic Not determined.	
· pH-value:	Not determined.	
•	rvot determined.	
· Change in condition	Not determed	
· Melting point/freezing point: · Initial boiling point and boiling	Not determined	
· Flash point:	>130 °C	
· Inflammability (solid, gaseous)	Not applicable.	
Decomposition temperature:	Not determined.	
Self-inflammability:	Product is not selfigniting.	
· Explosive properties:	Product is not explosive.	
	Not determined.	
· Critical values for explosion:		
Lower:	Not determined.	
· Upper:	Not determined.	
· Steam pressure:	Not determined.	
· Density	Not determined	
· Relative density	Not determined.	
Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
· Water:	Not miscible or difficult to mix	
· Partition coefficient: n-octanol/wa	ter: Not determined.	
· Viscosity:		
· dynamic:	Not determined.	
· kinematic:	Not determined.	
9.2 Other information	No further relevant information available.	

# SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
  - Conditions to be avoided: No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
  10.4 Conditions to avoid No further relevant information available.
  10.5 Incompatible materials: No further relevant information available.

- · 10.6 Hazardous decomposition products: None
  - Additional information: -



Page 5/7

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.05.2020 Version number 4 Revision: 14.05.2020

Trade name: Flexitime Bite Cat

(Contd. of page 4)

# SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
  - Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:			
556-67-2 octamethylcyclotetrasiloxane			
Oral	LD50	1,700 mg/kg (mouse)	
		4,800 mg/kg (rat)	
Dermal	LD50	>2,400 mg/kg (rat)	
Inhalative	LC50/4 h	36 mg/l (rat)	

- · Primary irritant effect:
  - Skin corrosion/irritation Based on available data, the classification criteria are not met.
  - Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
  · Germ cell mutagenicity Based on available data, the classification criteria are not met.
  - · Carcinogenicity Based on available data, the classification criteria are not met.
  - Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure

Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

· Aspiration hazard Based on available data, the classification criteria are not met.

#### SECTION 12: Ecological information

- - Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability

556-67-2 octamethylcyclotetrasiloxane

Biodegradation 3.7 % (nd)

· 12.3 Bioaccumulative potential

556-67-2 octamethylcyclotetrasiloxane

Bloconcentration factor (BCF) 12.4 (fish)

- **12.4 Mobility in soil** No further relevant information available.
  - Additional ecological information:
    - General notes:

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

- · 12.5 Results of PBT and vPvB assessment
  - PBT: Not applicable.
  - · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.



Page 6/7

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.05.2020 Version number 4 Revision: 14.05.2020

Trade name: Flexitime Bite Cat

(Contd. of page 5)

## SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
  - Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

· European waste catalogue

18 01 06\* chemicals consisting of or containing hazardous substances

- · Uncleaned packagings:
  - · Recommendation:

Disposal must be made according to official regulations. Non contaminated packagings can be used for recycling.

44 4 LIN Number		
14.1 UN-Number · ADR, IMDG, IATA	Void	
, ,	Void	
14.2 UN proper shipping name ADR, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
14.4 Packing group · ADR, IMDG, IATA	Void	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Annex	II of	
Marpol and the IBC Code	Not applicable.	
· Transport/Additional information:	-	
· UN "Model Regulation":	Void	

# SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
  - · Directive 2012/18/EU
    - · Named dangerous substances ANNEX I None of the ingredients is listed.
    - REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 70
  - · National regulations
    - Other regulations, limitations and prohibitive regulations
      - · Substances of very high concern (SVHC) according to REACH, Article 57

556-67-2 octamethylcyclotetrasiloxane

(Contd. on page 7)



Page 7/7

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.05.2020 Version number 4 Revision: 14.05.2020

Trade name: Flexitime Bite Cat

(Contd. of page 6)

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H226 Flammable liquid and vapour.

H361f Suspected of damaging fertility.

H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

H413 May cause long lasting harmful effects to aquatic life.

## Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative

NPVB. Very Persistent and very bloaccumulative
Flam. Liq. 3: Flammable liquids – Category 3
Repr. 2: Reproductive toxicity – Category 2
STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1
Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4