

Page 1/7

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.05.2020 Version number 4 Revision: 19.05.2020

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
  - · Trade name: Flexitime Easy Putty Base (1:1), Flexitime Dynamix Putty Base (5:1)
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
  - · Application of the substance / the mixture Dental impression material
- · 1.3 Details of the supplier of the safety data sheet
  - Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

Tel.: +49 (0)800 4372522

- Informing department: E-Mail: msds@kulzer-dental.com
- · 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

#### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
  - · Classification according to Regulation (EC) No 1272/2008

STOT RE 1 H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

- · 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



- · Signal word Danger
- · Hazard-determining components of labelling: cristobalite
- · Hazard statements

H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P314 Get medical advice/attention if you feel unwell.

- · 2.3 Other hazards -
  - Results of PBT and vPvB assessment
    - · PBT: Not applicable.
    - vPvB: Not applicable.

### SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

Description: -

(Contd. on page 2)



Page 2/7

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.05.2020 Version number 4 Revision: 19.05.2020

# Trade name: Flexitime Easy Putty Base (1:1), Flexitime Dynamix Putty Base (5:1)

(Contd. of page 1)

Dangerous components:

CAS: 14464-46-1 cristobalite

EINECS: 238-455-4

STOT RE 1, H372

50-75%

· Additional information For the wording of the listed hazard phrases refer to section 16.

#### SECTION 4: First aid measures

- 4.1 Description of first aid measures
  - After inhalation Supply fresh air; consult doctor in case of symptoms.
  - · After skin contact If skin irritation continues, consult a doctor.
  - · After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor.

After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

### SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
  - · Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Use fire fighting measures that suit the environment.

· 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- 5.3 Advice for firefighters
  - · Protective equipment: No special measures required.
  - · Additional information -

#### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Avoid contact with eyes and skin.

- · 6.2 Environmental precautions: Prevent material from reaching sewage system, holes and cellars.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).

6.4 Reference to other sections

No dangerous materials are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

-

## SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Please observe the additional instructions in the product's instructions for use.

(Contd. on page 3)



Page 3/7

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.05.2020 Version number 4 Revision: 19.05.2020

# Trade name: Flexitime Easy Putty Base (1:1), Flexitime Dynamix Putty Base (5:1)

(Contd. of page 2)

Keep containers tightly sealed.

No special precautions necessary if used correctly.

- Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
  - Storage
    - Requirements to be met by storerooms and containers: No special requirements.
    - Information about storage in one common storage facility: Not required.
    - Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · 8.1 Control parameters
  - · Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Not required.

- · Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
  - Personal protective equipment
    - · General protective and hygienic measures

Wash hands during breaks and at the end of the work.

- · Breathing equipment: Use a mask with particle filter in case of dust generation.
- · Protection of hands:

Check protective gloves prior to each use for their proper condition. recommended

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR

Nitrile rubber, NBR

- · Eye protection: Safety glasses
- · Body protection: Light weight protective clothing

## SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
  - General Information
    - · Appearance:

Form: Pasty
Colour: Violet
Smell: Characteristic

(Contd. on page 4)



Page 4/7

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.05.2020 Version number 4 Revision: 19.05.2020

Trade name: Flexitime Easy Putty Base (1:1), Flexitime Dynamix Putty Base (5:1)

|   | (Contd. of   | pag |
|---|--|-----|
| · Odour threshold:  | Not determined.  |     |
| · pH-value:   | Not determined.  |     |
| · Change in condition<br>· Melting point/freezing point:<br>· Initial boiling point and boiling | Not determined<br>range: 300 °C  |     |
| · Flash point:  | >130 °C  |     |
| · Inflammability (solid, gaseous)   | Not applicable.  |     |
| · Decomposition temperature:  | Not determined.  |     |
| · Self-inflammability:  | Product is not selfigniting.   |     |
| · Explosive properties:   | Product is not explosive.<br>Not determined.                                     |     |
| · Critical values for explosion:<br>· Lower:<br>· Upper:  | Not determined.<br>Not determined.   |     |
| · Steam pressure:   | Not determined.  |     |
| Density at 20 °C<br>Relative density<br>Vapour density<br>Evaporation rate                      | 1.6 g/cm³<br>Not determined.<br>Not determined.<br>Not determined.               |     |
| Solubility in / Miscibility with Water:   | Not miscible or difficult to mix   |     |
| · Partition coefficient: n-octanol/wa   | ater: Not determined.  |     |
| Viscosity: dynamic: kinematic: 9.2 Other information  | Not determined.<br>Not determined.<br>No further relevant information available. |     |

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
  - · Conditions to be avoided: No decomposition if used and stored according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: None
  - · Additional information: -

### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
  - · Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 5)



Page 5/7

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.05.2020 Version number 4 Revision: 19.05.2020

# Trade name: Flexitime Easy Putty Base (1:1), Flexitime Dynamix Putty Base (5:1)

|    |       |        |  | (Contd. of page 4) |
|----|-------|--------|--|--------------------|
|    | · LI  | D/LC5  | 0 values that are relevant for classification: |                    |
| 68 | 083-1 | 9-2 Pc | olydimethylsiloxan                             |                    |
| Or | al    | LD50   | >5,000 mg/kg (rat)                             |                    |
|    |       |        | ite mineral oil, petroleum                     |                    |
|    |       |        | >5,000 mg/kg (rat)                             |                    |
| De | rmal  | LD50   | >2,000 mg/kg (rabbit)                          |                    |

- · Primary irritant effect:
  - · Skin corrosion/irritation Based on available data, the classification criteria are not met.
  - · Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
  - Germ cell mutagenicity Based on available data, the classification criteria are not met.
  - · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure

Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

· Aspiration hazard Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

- · 12.1 Toxicity
  - · Aquatic toxicity:

### 8042-47-5 White mineral oil, petroleum

LC50/96h >100 mg/l (fish)

- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
  - · Additional ecological information:
    - · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

- · 12.5 Results of PBT and vPvB assessment
  - · PBT: Not applicable.
  - · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

## SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
  - Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

(Contd. on page 6)



Page 6/7

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.05.2020 Version number 4 Revision: 19.05.2020

# Trade name: Flexitime Easy Putty Base (1:1), Flexitime Dynamix Putty Base (5:1)

(Contd. of page 5)

European waste catalogue

18 01 06\* chemicals consisting of or containing hazardous substances

- · Uncleaned packagings:
  - Recommendation:

Disposal must be made according to official regulations. Non contaminated packagings can be used for recycling.

| SECTION 14: Transport informati                                      | ion                                |  |
|--|------------------------------------|--|
| · 14.1 UN-Number   | OII                                |  |
| ADR, IMDG, IATA  | Void                               |  |
| 14.2 UN proper shipping name<br>ADR, IMDG, IATA                      | Void                               |  |
| · 14.3 Transport hazard class(es)                                    |                                    |  |
| ADR, ADN, IMDG, IATA<br>Class  | Void                               |  |
| 14.4 Packing group<br>ADR, IMDG, IATA                                | Void                               |  |
| 14.5 Environmental hazards: Marine pollutant:                        | No                                 |  |
| · 14.6 Special precautions for user                                  | Not applicable.                    |  |
| · 14.7 Transport in bulk according to Ann<br>Marpol and the IBC Code | <b>ex II of</b><br>Not applicable. |  |
| · Transport/Additional information:                                  | -                                  |  |
| · UN "Model Regulation":   | Void                               |  |

### SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
  - · Directive 2012/18/EU
    - · Named dangerous substances ANNEX I None of the ingredients is listed.
    - REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 7)



Page 7/7

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.05.2020 Version number 4 Revision: 19.05.2020

Trade name: Flexitime Easy Putty Base (1:1), Flexitime Dynamix Putty Base (5:1)

(Contd. of page 6)

IMDG: International Maritime Code for Dangerous Goods

INDUG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
LD50: Lethal Ripaccumulative and Toxic

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1