

Page 1/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.05.2020 Version number 4 Revision: 19.05.2020

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
 - · Trade name: Flexitime Easy Putty Cat. (1:1), Flexitime Dynamix **Putty Cat. (5:1)**
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 - · Application of the substance / the mixture Dental impression material
- · 1.3 Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

Tel.: +49 (0)800 4372522

- Informing department: E-Mail: msds@kulzer-dental.com
- · 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
 - · Classification according to Regulation (EC) No 1272/2008

STOT RE 1 H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

- · 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



- · Signal word Danger
- · Hazard-determining components of labelling: cristobalite
- · Hazard statements

H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P314 Get medical advice/attention if you feel unwell.

- · 2.3 Other hazards -
 - Results of PBT and vPvB assessment
 - · PBT: Not applicable.
 - vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

Description: -

(Contd. on page 2)



Page 2/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.05.2020 Version number 4 Revision: 19.05.2020

Trade name: Flexitime Easy Putty Cat. (1:1), Flexitime Dynamix Putty Cat. (5:1)

(Contd. of page 1)

Dangerous components:

CAS: 14464-46-1 cristobalite

EINECS: 238-455-4

STOT RE 1, H372

50-75%

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
 - · After inhalation Supply fresh air; consult doctor in case of symptoms.
 - · After skin contact

Instantly rinse with water.

If skin irritation continues, consult a doctor.

· After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor.

After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
 - · Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Use fire fighting measures that suit the environment.

· 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- 5.3 Advice for firefighters
 - · Protective equipment: No special measures required.
 - · Additional information -

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation

Avoid contact with eyes and skin.

- 6.2 Environmental precautions: Prevent material from reaching sewage system, holes and cellars.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).

· 6.4 Reference to other sections

No dangerous materials are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

GB -



Page 3/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.05.2020 Version number 4 Revision: 19.05.2020

Trade name: Flexitime Easy Putty Cat. (1:1), Flexitime Dynamix Putty Cat. (5:1)

(Contd. of page 2)

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Please observe the additional instructions in the product's instructions for use.

Keep containers tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

- Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
 - Storage
 - Requirements to be met by storerooms and containers: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · 8.1 Control parameters
 - Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Not required.

- Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
 - Personal protective equipment
 - General protective and hygienic measures

Wash hands during breaks and at the end of the work.

- · Breathing equipment: Use a mask with particle filter in case of dust generation.
- Protection of hands:

Check protective gloves prior to each use for their proper condition.

recommended

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR Nitrile rubber, NBR

- Eye protection: Safety glasses
- · Body protection: Light weight protective clothing

GB



Page 4/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.05.2020 Version number 4 Revision: 19.05.2020

Trade name: Flexitime Easy Putty Cat. (1:1), Flexitime Dynamix Putty Cat. (5:1)

(Contd. of page 3)

OFOTION O DI COLLE	
SECTION 9: Physical and cher	mical properties
9.1 Information on basic physical an	d chemical properties
General Information	
· Appearance:	
Form:	Pasty
· Colour:	Light grey
· Smell:	Characteristic
· Odour threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/freezing point:	Not determined
· Initial boiling point and boiling	range: Not determined
· Flash point:	>130 °C
· Inflammability (solid, gaseous)	Not applicable.
Decomposition temperature:	Not determined.
· Self-inflammability:	Product is not selfigniting.
Explosive properties:	Product is not explosive. Not determined.
	Not determined.
Critical values for explosion:	
· Lower:	Not determined.
· Upper:	Not determined.
· Steam pressure:	Not determined.
· Density at 20 °C	1.6 g/cm³
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
· Water:	Not miscible or difficult to mix
· Partition coefficient: n-octanol/wa	ater: Not determined.
· Viscosity:	
· dynamic:	Not determined.
· kinematic:	Not determined.
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
 - Conditions to be avoided: No decomposition if used and stored according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available. 10.6 Hazardous decomposition products: None

(Contd. on page 5)



Page 5/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.05.2020 Version number 4 Revision: 19.05.2020

Trade name: Flexitime Easy Putty Cat. (1:1), Flexitime Dynamix Putty Cat. (5:1)

· Additional information: -

(Contd. of page 4)

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
 - Acute toxicity Based on available data, the classification criteria are not met.
 - LD/LC50 values that are relevant for classification:

68083-19-2 Polydimethylsiloxan

LD50 >5,000 mg/kg (rat)

8042-47-5 White mineral oil, petroleum

LD50 >5,000 mg/kg (rat) Oral

Dermal LD50 >2,000 mg/kg (rabbit)

- · Primary irritant effect:
 - Skin corrosion/irritation Based on available data, the classification criteria are not met.
 - Serious eve damage/irritation
 - Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation
- Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
 · Germ cell mutagenicity Based on available data, the classification criteria are not met.
 - Carcinogenicity Based on available data, the classification criteria are not met.
 - Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure
- Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
 - · Aquatic toxicity:

8042-47-5 White mineral oil, petroleum

LC50/96h >100 mg/l (fish)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
 - Additional ecological information:
 - General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

- · 12.5 Results of PBT and vPvB assessment
 - PBT: Not applicable.
 - · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.



Page 6/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.05.2020 Version number 4 Revision: 19.05.2020

Trade name: Flexitime Easy Putty Cat. (1:1), Flexitime Dynamix Putty Cat. (5:1)

(Contd. of page 5)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

· European waste catalogue

18 01 06* chemicals consisting of or containing hazardous substances

- · Uncleaned packagings:
 - · Recommendation:

Disposal must be made according to official regulations. Non contaminated packagings can be used for recycling.

SECTION 14: Transport information	on	
14.1 UN-Number · ADR, IMDG, IATA	Void	
14.2 UN proper shipping name · ADR, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
14.4 Packing group · ADR, IMDG, IATA	Void	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Anne Marpol and the IBC Code	ex II of Not applicable.	
· Transport/Additional information:	-	
UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 - Directive 2012/18/EU
 - · Named dangerous substances ANNEX I None of the ingredients is listed.
 - · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

- GB



Page 7/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.05.2020 Version number 4 Revision: 19.05.2020

Trade name: Flexitime Easy Putty Cat. (1:1), Flexitime Dynamix Putty Cat. (5:1)

(Contd. of page 6)

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

VPVB: very Persistent and very Bioaccumulative STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1