Printing date 27.01.2017 Version number 18 Revision: 27.01.2017

Hazardous according to criteria of Australian Safety and Compensation Council

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Solobond M
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Bonding
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Australien contact and address:

VOCO Australia Pty Ltd.

Suite 406-408, 251 Oxford Street,

Bondi Junction, NSW 2022

- · Further information obtainable from: Australia 02 9369 1770
- · 1.4 Emergency telephone number: Australia: 131126

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

As a medical device the product is not subject to labelling regulations under 1272/2008/EC.

- · Hazard pictograms GHS02, GHS07
- · Hazard statements

Highly flammable liquid and vapour.

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

· Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Wear protective gloves / eye protection.

Wear protective clothing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

- · 2.3 Other hazards Use only for intended scope of application
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

Printing date 27.01.2017 Version number 18 Revision: 27.01.2017

Trade name: Solobond M

		Contd. of page 1
· Dangerous	s components:	
67-64-1	acetone	50-100%
	Flam. Liq. 2, H225 Eye Irrit. 2, H319; STOT SE 3, H336	
1565-94-2	BIS GMA	10-25%
	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	-1
868-77-9	2-hydroxyethyl methacrylate	5-10%
	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	-1
	Acidic adhesive monomer	5-10%
	Skin Corr. 1B, H314 Eye Irrit. 2, H319	

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: Seek medical treatment in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation
- · 6.2 Environmental precautions: No special measures required.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

For dental use only.

Prevent formation of aerosols.

- · Information about fire and explosion protection: Keep ignition sources away Do not smoke.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: See storage instructions on package

(Contd. on page 3)

Printing date 27.01.2017 Version number 18 Revision: 27.01.2017

Trade name: Solobond M

(Contd. of page 2)

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

· Protection of hands:



Protective gloves

- · Material of gloves Not applicable.
- · Eye protection: Safety glasses

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid
Colour: Yellow
Odour: Characteristic

· pH-value: Not determined.

· Change in condition

Melting point/Melting range: Undetermined. Boiling point/Boiling range: Undetermined.

· Flash point: <15 °C

· Self-igniting: Product is not selfigniting.

· Danger of explosion: Product is not explosive. However, formation of explosive air/vapour

mixtures are possible.

• Density at 20 °C: 0.9 g/cm^3

· Solubility in / Miscibility with

water: Not miscible or difficult to mix.

· Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

• 9.2 Other information No further relevant information available.

– Al

Printing date 27.01.2017 Version number 18 Revision: 27.01.2017

Trade name: Solobond M

(Contd. of page 3)

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification: 67-64-1 acetone				
Dermal	<i>LD50</i>	20000 mg/kg (rabbit)		
Acidic adhesive monomer				
Oral	LD50	> 2000 mg/kg (rat)		

- · Primary irritant effect:
- · Skin corrosion/irritation

Testing according to ISO 10993-1/10993-10 showed no skin irritation for this product when fully cured Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye irritation.

· Respiratory or skin sensitisation

May cause an allergic skin reaction.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

ΔII

Printing date 27.01.2017 Version number 18 Revision: 27.01.2017

Trade name: Solobond M

(Contd. of page 4)

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- $\cdot \textbf{Recommendation} \ \textit{Smaller quantities can be disposed of with household waste}.$
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number	
14.1 UN-Number ADG, IMDG, IATA	UN2924
14.2 UN proper shipping name	
ADG	2924 FLAMMABLE LIQUID, CORROSIVE, N.O.
	(ACETONE, Acidic adhesive monomer)
IMDG, IATA	FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ACETON
	Acidic adhesive monomer)
14.3 Transport hazard class(es)	
ADG	
\$ 150 K	
Class	2 Elamortha liquida
Class Label	3 Flammable liquids. 3+8
Lubei IMDG	510
IMDG	
Class	3 Flammable liquids.
Label	3/8
IATA	
Class	3 Flammable liquids.
Label	3 (8)
14.4 Packing group	
ADG, IMDG, IATA	II
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Flammable liquids.
Danger code (Kemler):	338
EMS Number:	F- E , S - C
Stowage Category	B
Stowage Code	SW2 Clear of living quarters.
14.7 Transport in bulk according to An Marpol and the IBC Code	nex II of Not applicable.
Transport/Additional information:	
ADG	
Limited quantities (LQ)	IL

Printing date 27.01.2017 Version number 18 Revision: 27.01.2017

Trade name: Solobond M

	(Contd. of page 5)
· Transport category · Tunnel restriction code	2 D/E
· UN ''Model Regulation'':	UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ACETONE, ACIDIC ADHESIVE MONOMER), 3 (8), II

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Australian Inventory of Chemical Substances

All ingredients are listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Scientific department
- · Contact: Tel.: +49 (0)4721-719-0
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

* * Data compared to the previous version altered.

-AU