

Printing date 23.03.2020 Revision: 09.04.2019

## 1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: <u>PrimaDry</u><sup>™</sup> · Article number: 10955

· Index number: SDS 65-001.10

· Relevant identified uses of the substance or mixture and uses advised against

Professional Dental Priming Agent

· Application of the substance / the mixture Professional Dental Priming Agent

Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Ultradent Products Inc.

505 W. Ultradent Drive (10200 S) South Jordan, UT 84095-3942

USA

onlineordersupport@utradent.com

EC Responsible Person Ultradent Products GmbH Am Westhover Berg 30 51149 Cologne Germany Email: infoDe@ultradent.com

Emergency Phone: +49(0)2203-35-92-0

- · Further information obtainable from: Customer Service
- · Emergency telephone number:

CHEMTREC (NORTH AMERICA) : (800) 424-9300 (INTERNATIONAL) : +(703) 527-3887

## 2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The Regulation EC 1272/2008 on classification, labeling and packaging of substances and mixtures (CLP) shall not apply to a medical device in the finished state used in direct physical contact with the human body according to Art. 1.5 (d). Therefore, the product is exempted from the CLP labeling requirements, and no SDS is required by Regulation 1907/2006, Art. 2 (6c), REACH. Therefore, all given data, classification, and information on this SDS are provided solely on a voluntary basis.

· Hazard pictograms GHS02, GHS07

(Contd. on page 2)

(Contd. of page 1)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.03.2020 Revision: 09.04.2019

Trade name: PrimaDry™

· Signal word Danger · Hazard statements H225 Highly flammable liquid and vapour. H315 Causes skin irritation. H319 Causes serious eve irritation. H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness. · Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read label before use. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P240 *Ground and bond container and receiving equipment. Use explosion-proof [electrical/ventilating/lighting] equipment.* P241 P242 *Use non-sparking tools.* P243 Take action to prevent static discharges. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. P271 P280 Wear protective gloves/protective clothing/eye protection/face protection. IF SWALLOWED: Call a doctor if you feel unwell. P301+P312 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P304+P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P337+P313 If eye irritation persists: Get medical advice/attention.
P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- · Chemical characterisation: Mixtures
- **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous compon	ents:		
CAS: 64-17-5 EINECS: 200-578-6	Ethyl Alcohol	♠ Flam. Liq. 2, H225	>50- <i>≤</i> 100%
	Trade Secret	♦ Skin Corr. 1A, H314; Eye Dam. 1, H318	<1%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

Printing date 23.03.2020 Revision: 09.04.2019

Trade name: PrimaDry™

(Contd. of page 2)

### 4 First aid measures

## · Description of first aid measures

#### · General information:

Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid. Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area. Immediately remove any clothing soiled by the product.

#### · After inhalation:

Seek medical treatment in case of complaints.

Give oxygen or artificial respiration as needed.

Supply fresh air.

In case of unconsciousness place patient stably in side position for transportation.

#### · After skin contact:

If skin irritation continues, consult a doctor.

Launder clothing before reuse.

Immediately wash with water and soap and rinse thoroughly.

#### · After eve contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

### · After swallowing:

Do NOT induce vomiting.

If vomiting does occur, have victim lean forward to prevent aspiration.

Rinse mouth with water.

Seek medical treatment.

Never give anything by mouth to an unconscious person.

#### · Information for doctor:

#### · Most important symptoms and effects, both acute and delayed

Symptoms vary with alcohol level of the blood. Mild alcohol intoxication occurs at blood levels between 0.05-0.15%. Approximately 25% of individuals show signs of intoxication at these levels. Above 0.15% the person is definitely under the influence of ethanol; 50-95% of individuals are clinically intoxicated at these levels. Severe poisoning occurs when the blood is ethanol level is 0.3-0.5%. Above 0.5% the individual will be comatose and death can occur. The unabsorbed ethanol should be removed by gastric lavage after intubating the patient to prevent aspiration. Avoid the use of depressant drugs or the excessive administration of fluids.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## 5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Water fog

Alcohol resistant foam

Water spray

Carbon dioxide

Dry Chemical

## Special hazards arising from the substance or mixture

Carbon monoxide (CO)

May produce a floating fire hazard.

Static ignition hazard can result from handling and use.

Vapors may travel to source of ignition and flash back.

Vapors may settle in low or confined spaces.

Alcohols burn with a pale blue flame which may be extremely hard to see under normal lighting conditions. Personnel may only be able to feel the heat of the fire without seeing flames. Extreme caution must be exercised in fighting alcohol fires. Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. Cool

(Contd. on page 4)

Printing date 23.03.2020 Revision: 09.04.2019

Trade name: PrimaDry™

(Contd. of page 3)

containers with flooding quantities of water until well after fire is out. Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank. Always stay away from tanks engulfed in fire.

- · Advice for firefighters:
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information Cool endangered receptacles with water spray.

## 6 Accidental release measures

### · Personal precautions, protective equipment and emergency procedures

Do not inhale vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Stop leak. Contain spill if possible and safe to do so.

Do not allow to enter sewers/surface or ground water.

Methods and material for containment and cleaning up:

Highly flammable liquid. Eliminate all sources of ignition. All equipment used when handling this product must be grounded. A vapor suppressing foam may be used to reduce vapors. Do not touch or walk through spilled material. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations. Use clean non-sparking tools to collect absorbed material.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling:

Avoid contact with eyes, skin, and clothing.

Do not inhale vapor or mist.

Open and handle container with care.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

Metal containers involved in the transfer of this material should be grounded and bonded.

Store in a cool location.

· Information about storage in one common storage facility: Store away from flammable substances.

(Contd. on page 5)

Printing date 23.03.2020 Revision: 09.04.2019

Trade name: PrimaDry™

(Contd. of page 4)

#### · Further information about storage conditions:

Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Consult local fire codes for additional storage information.

See product labelling.

Keep container tightly sealed.

Store in cool, dry conditions in well - sealed receptacles.

· Specific end use(s) Professional Dental Priming Agent

### 8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

### 64-17-5 Ethyl Alcohol

WEL (Great Britain) Long-term value: 1920 mg/m³, 1000 ppm

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Observe good industrial hygiene practices.

Ensure that washing facilities are available at the work place.

Electrical equipment should be grounded and confirm to applicable electrical code.

When using do not smoke.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

#### Respiratory protection:

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

#### · Protection of hands:

Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product.

Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 6)

Printing date 23.03.2020 Revision: 09.04.2019

Trade name: PrimaDry™

(Contd. of page 5)

## · Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

### · Eye protection:

Maintain eye wash fountain and quick-drench facilities in work area.

Use equipment approved by appropriate government standards, such as NIOSH (US) or EN166 (EU) Face protection

Use chemical safety goggles and/or a full face shield where splashing is possible.



Tightly sealed goggles

### · Body protection:

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Information on basic physical and c	hemical properties
General Information	
Appearance: Form:	Liquid
rorm. Colour:	Yellow tint
Odour:	Alcohol-like
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/freezing point:	-100 °C
Initial boiling point and boiling ra	nge: 78 °C
Flash point:	13 °C
Flammability (solid, gas):	Not applicable.
Ignition temperature:	363 °C
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	3.3 Vol %
Upper:	19 Vol %
Vapour pressure at 20 °C:	552 hPa
Density at 20 °C:	0.79 g/cm³
Relative density	Not determined.
Vapour density at 20 °C	$1.6 \text{ g/cm}^3$
Evaporation rate	Not determined.

(Contd. on page 7)

Printing date 23.03.2020 Revision: 09.04.2019

Trade name: PrimaDry™

		(Contd. of page 6
Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
VOC (EC)	99.00 %	
· Other information	No further relevant information available.	

## 10 Stability and reactivity

- · Reactivity Stable
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions:

Vapors may form explosive mixture with air.

Flammable.

· Conditions to avoid:

Direct sunlight

Extreme temperature

Sparks

Flames

Heat

· Incompatible materials:

Alkali metals

Strong Inorganic Acids

Peroxides

Oxidizing Agents

Ammonia

· Hazardous decomposition products: Carbon monoxide and carbon dioxide

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	· LD/LC50 values relevant for classification:			
64-17-5 Et	thyl Alcohol			
Oral		5,600 mg/kg (Guinea pig)		
		3,400 mg/kg (mouse)		
		7,060 mg/kg (rat)		
	LC50 Fish	>10,000 mg/l (Fish)		
Inhalative	LC50/4 h	39 mg/l (mouse)		
		20,000 mg/l (rat)		

- · Primary irritant effect:
- · Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye irritation.

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

(Contd. on page 8)

Printing date 23.03.2020 Revision: 09.04.2019

Trade name: PrimaDry™

(Contd. of page 7)

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure
- May cause respiratory irritation. May cause drowsiness or dizziness.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity:

## 64-17-5 Ethyl Alcohol

Algae Toxicity 1,000 mg/l (Algae)

- · Persistence and degradability No further relevant information available.
- Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

		waste	catalogue	
775.4	T-11	1 1		ī

HP3 Flammable

HP4 Irritant - skin irritation and eye damage

- · Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.

7 / /	4 h			 C	. •
1/1	11 7/	111116	111 0 1/1	O WIM OU	7010
14		**************************************	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	 ormai	,,,,,,

٠	<b>UN-Number</b>
---	------------------

· ADR, IMDG, IATA UN1987

· UN proper shipping name

 $\cdot$  ADR

1987 ALCOHOLS, N.O.S. (Ethyl Alcohol)

· IMDG, IATA

ALCOHOLS, N.O.S. (Ethyl Alcohol)

(Contd. on page 9)

Printing date 23.03.2020 Revision: 09.04.2019

Trade name: PrimaDry™

	(Contd. of pa
Transport hazard class(es)	
ADR, IMDG, IATA	
3	
Class	3 Flammable liquids.
Label	3
Packing group	
ADR, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code):	33
EMS Number:	F-E,S-D
Stowage Category	B
Transport in bulk according to Annex II of Marp	nol
and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	IL
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
Transport category	2
Tunnel restriction code	D/E
IMDG	
Limited quantities (LQ)	IL
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1987 ALCOHOLS, N.O.S. (ETHYL ALCOHOL), 3, II
G	, , , , , , , , , , , , , , , , , , , ,

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · Chemical safety assessment:

Device is biocompatible when used as directed by dental professionals per ISO 10993-1

Printing date 23.03.2020 Revision: 09.04.2019

Trade name: PrimaDry™

(Contd. of page 9)

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H225 Highly flammable liquid and vapour.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

#### · Department issuing SDS: Regulatory Affairs

· Contact: Customer Service

### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

GB2